



UNLIMITED CREATION

APPLICATION INSTRUCTIONS

FlexCut Puff LT

FlexCut Puff LT looks like a normal flex film and can be handled in the same way. But under the heat press it foams up to a nice 3D effect. Available in white and black.

FEATURES:



PU
water-
based



60 - 500µ



Cotton, polyester,
blended fabrics..
Less suitable for nylon
and other coated textiles.



40°C

CUTTING CONDITIONS:



Blade
30 - 45°



low/
medium



30 - 40 cm/s

TRANSFER CONDITIONS:



140°C



20 s



medium/
high



Cold peel

Flex on Flex possible

► PACKAGING



50 cm


25 m

50 cm

10 m

50 cm

5 m



1. Cut mirrored



2. Weed design



3. Transfer design



4. Remove liner, done !

Due to the foaming, the colour becomes lighter, black becomes more anthracite.

Store in a cool and dry place; protect against the influence of light when stored. We recommend not to exceed a storage period of 12 months. The technical specifications rest on extensive tests and technical research. Due to the variety of possible influences during refinement, and use, the specifications should be viewed as reference values. We recommend a suitability test on the original material. A legally binding warranty of specific characteristics cannot be derived from our specifications.





UNLIMITED CREATION

AVAILABLE COLORS

FlexCut Puff LT



WHITE



BLACK

Store in a cool and dry place; protect against the influence of light when stored. We recommend not to exceed a storage period of 12 months. The technical specifications rest on extensive tests and technical research. Due to the variety of possible influences during refinement, and use, the specifications should be viewed as reference values. We recommend a suitability test on the original material. A legally binding warranty of specific characteristics cannot be derived from our specifications.

S E F • 110 BD DENIS-PAPIN 53000 LAVAL – FRANCE
TEL. +33 2. 43 53 36 48 FAX +33 2. 43 67 11 78
www.seftextile.com E-mail: contact@sef-france.com
SAS. CAPITAL € 945 000 RCS, LAVAL 304.802.291.00027

